








**PRICE LIST FOR COMPLETE RANGE OF WIRE TERMINAL ENDS
COPPER/ALUMINIUM TUBULAR LUG SOCKETS, COPPER RING
TYPE, FORK TYPE, PIN TYPE, INSULATED AND INSULATED
WITH METAL RE-INFORCEMENTS**

**GST EXTRA AT
PREVAILING RATES**

Issue Date : 01-05-2024

SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each
"UMA" COPPER TUBULAR TERMINAL - CRIMPING TYPE 				"UMA" COPPER TUBULAR TERMINAL - CRIMPING TYPE (HEAVY) 				50	8.2	919-255	13.45	70	-	919-1	19.45
								50	10.2	919-312	13.45	95	-	919-15	22.15
								50	12.7	919-224	13.45	120	-	919-9	29.95
								70	8.2	919-256	21.10	150	-	919-10	38.40
								70	10.2	919-225	21.10	185	-	919-11	50.10
								70	12.7	919-226	21.10	225	-	919-147	70.00
								95	10.2	919-227	23.10	240	-	919-16	84.45
								95	12.7	919-228	23.10	300	-	919-17	111.85
2.5	5.2	619-05	4.90	25	8.2	619-282	31.30	95	16.2	919-229	23.10	400	-	919-18	180.80
4	6.5	619-06	7.25	35	8.2	619-283	55.90	120	10.2	919-257	32.60	500	-	919-19	250.00
6	6.5	619-07	9.60	50	8.2	619-284	92.25	120	12.7	919-230	32.60	625	-	919-20	318.00
10	6.5	619-08	11.45	70	10.2	619-285	146.85	120	16.2	919-231	32.60	800	-	919-148	488.00
16	6.5	619-09	16.40	95	12.7	619-286	217.10	150	10.2	919-258	44.90	1000	-	919-149	781.00
25	6.5	619-10	28.95	120	12.7	619-287	339.20	150	12.7	919-232	44.90	"UMA" COPPER TUBULAR IN-LINE CONNECTORS 			
35	6.5	619-11	33.75	150	12.7	619-288	396.45	150	16.2	919-233	44.90				
35	8.2	619-12	33.75	185	12.7	619-289	575.80	185	10.2	919-311	55.95				
50	6.5	619-13	46.10	240	16.2	619-290	804.65	185	12.7	919-234	55.95				
50	8.2	619-14	46.10	300	20.3	619-291	1041.10	185	16.2	919-235	55.95				
50	10.2	619-15	46.10	400	20.3	619-292	1739.50	225	10.2	919-320	72.00				
70	8.2	619-16	79.25	"UMA" ALUMINIUM TUBULAR TERMINAL 				240	12.7	919-236	92.35	1.5	-	62-453	3.15
70	10.2	619-17	79.25					240	16.2	919-237	92.35	2.5	-	62-454	4.30
70	12.7	619-18	79.25					300	16.2	919-300	128.10	4	-	62-3	5.90
95	10.2	619-19	111.70					300	20.3	919-259	128.10	6	-	62-4	6.50
95	12.7	619-20	111.70					400	20.3	919-260	195.70	10	-	62-460	10.30
120	10.2	619-21	148.80					500	20.3	919-296	268.00	16	-	62-6	11.35
120	12.7	619-22	148.80					625	20.3	919-261	350.00	25	-	62-7	21.00
120	16.2	619-23	148.80					800	-	919-318	560.00	35	-	62-8	29.80
150	10.2	619-24	220.30	2.5	3.2	919-151	2.40	1000	-	919-319	890.00	50	-	62-9	36.80
150	12.7	619-25	220.30	2.5	3.7	919-309	2.40	"UMA " ALUMINIUM TUBULAR INLINE CONNECTORS TYPE 				70	-	62-10	58.80
150	16.2	619-26	220.30	4	4.2	919-155	2.52					95	-	62-11	90.00
185	12.7	619-27	321.70	4	5.1	919-317	2.52					120	-	62-12	123.60
185	16.2	619-28	321.70	6	5.2	919-158	2.70					150	-	62-13	177.50
225	16.2	619-231	447.80	6	6.5	919-313	2.70					185	-	62-14	241.10
240	16.2	619-29	447.80	10	4.2	919-159	3.85					225	-	62-20	290.00
240	20.3	619-30	447.80	10	6-4	919-214	3.85					240	-	62-15	313.50
300	16.2	619-31	617.45	10	8.2	919-215	3.85					300	-	62-16	466.00
300	20.3	619-32	617.45	16	6.4	919-252	5.20	2.5	-	919-145	2.20	400	-	62-17	717.00
400	20.3	619-33	880.70	16	8.2	919-216	5.20	2.5	-	919-6	2.20	"UMA" COPPER TUBULAR CRIMPING SEALING FERRULES 			
500	20.3	619-34	1141.00	16	10.2	919-217	5.20	4	-	919-5	2.20				
630	20.3	619-35	1657.00	25	6.4	919-253	7.20	6	-	919-13	2.20				
800	-	619-062	2606.00	25	8.2	919-218	7.20	10	-	919-146	2.65				
1000	-	619-076	5536.00	25	10.2	919-219	7.20	10	-	919-14	2.65				
				25	12.7	919-220	7.20	16	-	919-4	3.95				
				35	6.4	919-254	8.40	25	-	919-3	5.40				
				35	8.2	919-221	8.40	35	-	919-2	6.55				
				35	10.2	919-222	8.40	50	-	919-12	11.15				

SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each
0.5	-	68-508	0.74	"UMA" COPPER REDUCER TYPE WIRE TERMINAL 		"UMA" COPPER RING TYPE WIRE TERMINAL 		4-6	9.7	67021	7.90	4-6	9.7	67021	7.90
0.75	-	68-509	0.74					4-6	8.2	67116	11.30	4-6	8.2	67116	11.30
1.0	-	68-510	0.74					4-6	10.2	67022	9.98	4-6	10.2	67022	9.98
1.0	-	68-511	0.90					4-6	8.2	67117	12.50	4-6	8.2	67117	12.50
1.5	-	68-512	0.90					4-6	10.2	67023	12.15	4-6	10.2	67023	12.15
1.5	-	68-513	1.05					4-6	12.7	67024	10.37	4-6	12.7	67024	10.37
2.5	-	68-514	1.05					10	4.2	67118	9.95	10	4.2	67118	9.95
2.5	-	68-515	1.25					10	5.2	67025	8.85	10	5.2	67025	8.85
4	-	68-516	1.25					10	4.2	67119	7.60	10	4.2	67119	7.60
4	-	68-517	1.45					10	5.2	67026	7.10	10	5.2	67026	7.10
6	-	68-518	1.60	16	-	UPC-2	24.95	1.5	3.2	67153	2.16	10	6.4	67120	8.25
6	-	68-519	1.95	25	-	UPC-25	42.00	1.5	3.7	67048	2.20	10	8.2	67121	10.65
6	-	68-520	2.45	35	-	UPC-4	59.85	1.5	4.2	67049	2.20	10	8.2	67122	12.90
10	-	68-521	2.70	50	-	UPC-26	71.80	1.5	2.2	67103	2.20	10	10.2	67123	17.65
10	-	68-522	3.05	70	-	UPC-27	100.50	1.5	2.6	67000	2.20	10	10.2	67124	13.70
10	-	68-523	3.35	95	-	UPC-29	182.00	1.5	3.2	67001	2.30	16	5.2	67125	15.25
16	-	68-524	3.35	95	-	UPC-31	133.50	1.5	3.7	67002	2.30	16	6.4	67126	18.75
16	-	68-525	3.65	120	-	UPC-34	176.90	1.5	4.2	67003	1.95	16	8.2	67127	19.80
16	-	68-526	4.25	150	-	UPC-37	308.00	1.5	4.2	67154	2.65	16	9.7	67031	17.05
"UMA" SOLDERING TYPE COPPER TUBULAR 				185	-	UPC-38	400.50	1.5	5.2	67005	2.80	16	8.2	67128	23.95
				240	-	UPC-43	718.00	1.5	6.4	67007	2.98	16	10.2	67032	17.95
				300	-	UPC-45	848.00	1.5	6.4	67106	3.80	16	10.2	67129	34.60
				400	-	UPC-48	990.00	1.5	3.2	67107	2.50	16	12.7	67033	22.10
				"UMA" ALUMINIUM REDUCER TERMINAL ENDS 	1.5	6.4	67008	2.80	25	6.4	67156	31.20			
					1.5	3.7	67108	3.15	25	8.2	67051	31.65			
2.5	4.2	67009	2.98		25	6.4	67129	34.60							
2.5	5.2	67010	2.80		25	8.2	67034	32.20							
2.5	5.2	67109	3.46		25	10.2	67035	32.35							
15	3.2	UMA-201	4.80	6	-	UPA-18	7.90	2.5	6.4	67011	3.20	25	6.4	67130	35.10
30	5.1	UMA-202	7.30	10	-	UPA-20	8.65	2.5	5.2	67110	4.94	25	8.2	67036	34.80
60	6.4	UMA-203	23.50	16	-	UPA-2	10.30	2.5	6.4	67012	4.52	25	10.2	67131	38.40
100	9.5	UMA-204	44.90	25	-	UPA-25	14.95	2.5	8.2	67013	4.25	25	10.2	67132	50.45
150	9.5	UMA-205	79.30	35	-	UPA-4	17.30	2.5	6.4	67111	7.20	25	12.7	67037	48.70
200	12.7	UMA-206	131.95	50	-	UPA-26	23.90	2.5	8.2	67014	6.52	35	6.4	67133	39.50
300	12.7	UMA-207	366.65	70	-	UPA-27	35.85	2.5	10.2	67015	5.90	35	8.2	67038	38.20
400	15.9	UMA-208	362.75	95	-	UPA-31	45.10	2.5	10.2	67151	7.65	35	8.2	67134	47.60
"UMA" COPPER OPEN CLOSE TYPE SOLDERING SOCKET 				120	-	UPA-34	64.05	2.5	12.7	67047	7.25	35	10.2	67039	44.40
				150	-	UPA-37	88.10	4-6	4.2	67155	5.05	35	10.2	67135	51.15
				185	-	UPA-38	108.90	4-6	5.2	67050	5.05	35	12.7	67040	52.65
				240	-	UPA-43	160.00	4-6	4.2	67112	6.50	50	8.2	67136	63.45
				300	-	UPA-45	199.90	4-6	5.2	67016	6.60	50	10.2	67041	61.25
								4-6	5.2	67113	6.60	50	10.2	67137	65.45
								4-6	6.4	67017	6.25	50	10.2	67138	75.80
								4-6	8.2	67018	5.90	50	12.7	67042	72.05
								4-6	5.2	67114	7.90	50	16.2	67139	85.55
1.5	4.2	653-371	2.20					4-6	6.4	67019	7.35	70	10.2	67140	92.40
2.5	5.2	653-372	3.40					4-6	5.2	67157	7.30	70	12.7	67043	87.45
4	5.3	653-373	5.35					4-6	6.4	67115	9.25	70	12.7	67141	91.85
6	6.5	653-374	8.30					4-6	8.2	67020	8.20	70	16.2	67142	107.35
10	6.5	653-375	9.45												
16	8.2	653-376	17.90												
25	8.2	653-377	38.35												
35	8.2	653-378	39.75												
50	10.2	653-379	72.75												
70	10.2	653-380	118.20												
95	12.7	653-381	165.10												
120	12.7	653-382	191.30												

SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each
95	10.2	67143	119.55	2.5	12.7	67082	8.66	2.5	8.2	67460	6.20	10	6.1	67867	8.15
95	10.2	67144	126.70	4.6	4.2	67083	6.85	2.5	6.4	67461	9.60	10	8.1	67868	10.65
95	12.7	67044	126.70	4-6	5.2	67084	6.55	2.5	8.2	67462	8.80	16	5.1	67869	14.05
95	16.2	67145	146.75	4-6	4.2	67085	8.50	2.5	10.2	67463	8.00	16	6.1	67870	13.90
120	12.7	67146	162.85	4-6	5.2	67086	8.20	2.5	10.2	67464	10.00	16	8.1	67871	19.20
120	16.2	67147	195.00	4-6	5.2	67088	8.50	2.5	12.7	67465	9.60	16	8.1	67872	19.80
120	20.3	67148	236.00	4-6	6.4	67089	8.00	4-6	4.2	67466	8.40	"UMA" COPPER RECTANGULAR TYPE FORK WIRE TERMINAL 			
150	12.7	67149	352.35	4-6	8.2	67090	7.70	4-6	5.2	67467	8.15				
150	16.2	67045	336.52	4-6	5.2	67087	10.00	4-6	4.2	67468	10.00				
150	16.2	67150	377.20	4-6	5.2	67091	9.36	4-6	5.2	67469	9.70				
150	20.3	67046	345.80	4-6	6.4	67092	9.35	4-6	5.2	67470	10.85				
				4-6	6.4	67093	10.20	4-6	5.2	67471	10.05				
				4-6	8.2	67094	10.20	4-6	6.4	67472	9.98	1.5	5.1	67214	3.72
"UMA" COPPER RING TYPE WIRE TERMINAL (INSULATED) 				4-6	9.7	67095	10.00	4-6	8.2	67473	9.20	1.5	3.5	67249	2.35
				4-6	8.2	67096	12.30	4-6	5.2	67474	11.55	1.5	3.0	67250	2.39
				4-6	10.2	67097	12.00	4-6	6.4	67475	10.90	2.5	3.5	67251	2.75
				4-6	8.2	67098	15.00	4-6	6.4	67476	12.98	2.5	5.0	67280	6.60
				4-6	10.2	67099	11.60	4-6	8.2	67477	11.76	4-6	3.1	67252	4.20
				4-6	12.7	67100	11.60	4-6	9.7	67478	11.60	4-6	3.5	67253	4.20
				"UMA" COPPER RING TYPE WIRE TERMINAL (INSULATED WITH METAL REINFORCEMENT) 				4-6	8.2	67479	15.25	10	6.5	67254	12.80
1.5	3.2	67057	3.05					4-6	10.2	67480	13.80	10	8.2	67255	12.20
1.5	3.7	67058	2.99					4-6	8.2	67481	16.50	"UMA" COPPER RECTANGULAR TYPE FORK WIRE TERMINAL (INSULATED) 			
1.5	4.2	67059	2.94					4-6	10.2	67482	16.25				
1.5	2.2	67052	3.48	"UMA" COPPER RING TYPE FORK WIRE TERMINAL 				4-6	12.7	67483	14.25				
1.5	2.6	67053	3.48					"UMA" COPPER RING TYPE FORK WIRE TERMINAL 				1.5	5.1	67925	4.78
1.5	3.2	67054	3.01	1.5	2.2	67435	4.30					1.5	3.5	67926	3.15
1.5	3.7	67055	2.99	1.5	2.6	67436	4.30					1.5	3.0	67927	3.25
1.5	4.2	67056	2.85	1.5	3.2	67437	3.85					2.5	3.5	67928	3.65
1.5	3.2	67060	3.40	1.5	3.7	67438	3.85	1.5	3.1	67235	2.55	2.5	5.0	67929	8.60
1.5	4.2	67061	3.41	1.5	4.2	67439	3.65	1.5	3.6	67240	2.55	4-6	3.1	67930	5.90
1.5	5.2	67062	3.20	1.5	3.2	67440	3.92	1.5	3.1	67241	2.55	4-6	3.5	67931	5.90
1.5	4.2	67063	3.58	1.5	3.7	67441	3.85	1.5	3.6	67244	2.55	10	6.5	67932	15.40
1.5	4.2	67064	4.45	1.5	4.2	67442	3.80	1.5	4.1	67237	2.55	10	8.2	67933	15.40
1.5	5.2	67065	4.15	1.5	3.2	67443	4.50	1.5	4.1	67236	2.94				
1.5	6.4	67066	3.90	1.5	4.2	67444	4.25	1.5	5.1	67238	2.94				
1.5	6.4	67067	4.90	1.5	5.2	67445	4.05	1.5	6.1	67861	2.94				
2.5	3.2	67068	3.50	1.5	4.2	67446	4.45	2.5	3.1	67862	2.80				
2.5	3.7	67069	3.30	1.5	4.2	67447	5.25	2.5	3.6	67863	2.90				
2.5	3.7	67070	4.20	1.5	5.2	67448	4.90	2.5	4.1	67239	3.30	"UMA" COPPER RECTANGULAR TYPE FORK WIRE TERMINAL INSULATED WITH METAL REINFORCEMENT 			
2.5	4.2	67071	3.98	1.5	6.4	67449	4.75	2.5	5.1	67242	3.48				
2.5	5.2	67072	3.70	1.5	6.4	67450	5.70	2.5	6.1	67864	3.48				
2.5	5.2	67073	4.60	2.5	3.2	67451	4.35	4.6	4.1	67243	5.25				
2.5	6.4	67074	4.25	2.5	3.7	67452	4.20	4.6	4.1	67245	6.30				
2.5	5.2	67075	6.15	2.5	3.7	67453	5.05	4.6	5.1	67246	5.80				
2.5	6.4	67076	5.65	2.5	4.2	67454	4.80	4.6	5.1	67247	7.90	1.5	5.1	67934	5.70
2.5	8.2	67077	5.30	2.5	5.2	67455	4.60	4.6	6.1	67248	6.95	1.5	3.5	67935	3.98
2.5	6.4	67078	8.71	2.5	5.2	67456	5.50	10	4.1	67865	8.40	1.5	3.0	67936	4.05
2.5	8.2	67079	7.88	2.5	6.4	67457	5.15	10	5.1	67866	8.25	2.5	3.5	67937	4.60
2.5	10.2	67080	7.20	2.5	5.2	67458	7.10								
2.5	10.2	67081	9.15	2.5	6.4	67459	6.60								

SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	SQ. MM	Stud Hole	UMA Cat. No.	Price Each	
2.5	5.0	67938	8.90	"UMA" COPPER PIN TYPE WIRE TERMINAL (INSULATED WITH METAL REINFORCEMENT) 				"UMA" END SEALING FERRULES (BOOTLUG) SINGLE 								
4-6	3.1	67939	7.40													
4-6	3.5	67940	7.40													
10	6.5	67941	17.10													
10	8.2	67942	17.10													
				1.5	-	616-26	4.20									
"UMA" COPPER PIN TYPE WIRE TERMINAL 	2.5	-	616-27	4.50												
	2.5	-	616-28	4.15	0.5	-	8MML	1.00								
	4	-	616-29	9.00	0.75	-	8MML	1.00								
	4	-	616-30	9.40	1.0	-	8MML	1.00								
	6	-	616-31	9.60	1.0	-	10MML	1.20								
	6	-	616-32	10.00	1.5	-	8MML	1.10								
1.0	-	616-0	2.65	"UMA" SNAP ON TYPE TERMINAL ENDS. 	1.5	-	68369	3.70	1.5	-	10MML	1.15				
1.5	-	616-35	2.90		1.5	-	68351	3.80	2.5	-	8MML	1.15				
1.5	-	616-9	2.52		2.5	-	68347	3.90	2.5	-	10MML	1.20				
2.5	-	616-1	2.80		4	-	68476	9.40	4	-	9MML	1.90				
2.5	-	616-2	2.30		1.5	-	68351(I)	4.90	4	-	12MML	1.95				
4	-	616-3	5.80		2.5	-	63847(I)	5.10	6	-	10MML	3.00				
4	-	616-4	5.98		1.5	-	68352	5.70	6	-	12MML	3.10				
6	-	616-5	6.15		2.5	-	68348	6.00	10	-	12MML	6.00				
6	-	616-6	6.65													
10	-	616-7	9.25													
16	-	616-8	16.60													
25	-	616-125	35.00													
35	-	616-135	44.80													
50	-	616-150	67.30													
70	-	616-170	89.00													
95	-	616-195	125.00													
"UMA" COPPER PIN TYPE WIRE TERMINAL (INSULATED) 				"UMA" COPPER TUBULAR INSULATED IN-LINE CONNECTORS. 												
	1.0	-	616-0(1)		2.65	0.5	-	8MML	2.20							
	1.0	-	616-42		4.90	0.75	-	8MML	2.40							
	1.5	-	616-40		3.80	1	-	8MML	2.40							
	1.5	-	616-17		3.35	1.5	-	8MML	2.40							
	2.5	-	616-18		3.60	2.5	-	8MML	4.10							
2.5	-	616-19	3.25	4	-	-	6.30									
4	-	616-20	7.10	6	-	-	7.20									
4	-	616-21	8.20	10	-	-	9.00									
6	-	616-22	8.20													
6	-	616-23	8.60													
10	-	616-24	12.30													
16	-	616-25	21.50													